

连续168小时监测小时平均值报表

监测时间	COD(mg/L)	氨氮(mg/L)	水流量(吨)	pH()	总磷(mg/L)	总氮(mg/L)
2026-08-24 23:00:00	15.9805	0.1302	18.4118	7.063	2.9437	20.3005
2026-08-24 22:00:00	15.9805	0.1302	17.7693	7.071	2.9437	20.3005
2026-08-24 21:00:00	16.9584	0.1493	18.6584	7.072	3.2957	21.5006
2026-08-24 20:00:00	16.9584	0.1493	19.0865	7.071	3.2957	21.5006
2026-08-24 19:00:00	18.449	0.1482	19.4803	7.067	3.3179	21.0576
2026-08-24 18:00:00	18.449	0.1482	19.3225	7.075	3.3179	21.0576
2026-08-24 17:00:00	15.0653	0.1477	19.4801	7.043	3.0255	20.3459
2026-08-24 16:00:00	15.0653	0.1477	23.3307	6.97	3.0255	20.3459
2026-08-24 15:00:00	14.8718	0.1312	23.9153	6.944	2.8649	18.7951
2026-08-24 14:00:00	14.8718	0.1312	10.8196	6.956	2.8649	18.7951
2026-08-24 13:00:00	15.2943	0.1483	22.4322	6.905	2.6207	17.9314
2026-08-24 12:00:00	15.2943	0.1483	21.0322	6.888	2.6207	17.9314
2026-08-24 11:00:00	13.6258	0.1201	20.9688	6.896	2.3432	17.6104
2026-08-24 10:00:00	13.6258	0.1201	21.8265	6.922	2.3432	17.6104
2026-08-24 09:00:00	14.3559	0.13	22.2196	6.94	2.7579	17.1589
2026-08-24 08:00:00	14.3559	0.13	13.9724	6.995	2.7579	17.1589
2026-08-24 07:00:00	13.7438	0.137	14.008	7.045	3.0632	17.9505
2026-08-24 06:00:00	13.7438	0.137	15.0723	7.113	3.0632	17.9505
2026-08-24 05:00:00	14.3142	0.1482	13.0179	7.097	3.1879	18.129
2026-08-24 04:00:00	14.3142	0.1482	11.5261	7.075	3.1879	18.129
2026-08-24 03:00:00	17.6045	0.138	0	7.146	3.7418	19.2385
2026-08-24 02:00:00	17.6045	0.138	0.5111	7.204	3.7418	19.2385
2026-08-24 01:00:00	16.3292	0.1456	0	7.197	3.8597	19.9862
2026-08-24 00:00:00	16.3292	0.1456	0.1395	7.184	3.8597	19.9862
2026-08-23 23:00:00	15.4606	0.1264	7.4797	7.182	3.0993	20.4849
2026-08-23 22:00:00	15.4606	0.1264	3.1362	7.199	3.0993	20.4849
2026-08-23 21:00:00	15.2221	0.1416	7.9363	7.097	2.891	21.5334
2026-08-23 20:00:00	15.2221	0.1416	9.0422	7.091	2.891	21.5334
2026-08-23 19:00:00	16.5612	0.13	13.7849	7.053	2.4194	21.7861

监测时间	COD(mg/L)	氨氮(mg/L)	水流量(吨)	pH()	总磷(mg/L)	总氮(mg/L)
2026-08-23 18:00:00	16.5612	0.13	26.9849	7.048	2.4194	21.7861
2026-08-23 17:00:00	15.7821	0.1414	26.2592	7.075	2.8477	21.2029
2026-08-23 16:00:00	15.7821	0.1414	10.3042	7.131	2.8477	21.2029
2026-08-23 15:00:00	16.9923	0.141	15.4121	7.154	3.0128	26.8087
2026-08-23 14:00:00	16.9923	0.141	21.6479	7.264	3.0128	26.8087
2026-08-23 13:00:00	17.8102	0.1137	20.0296	7.164	2.67	20.3647
2026-08-23 12:00:00	17.8102	0.1137	12.1201	7.085	2.67	20.3647
2026-08-23 11:00:00	16.9728	0.1335	27.8504	7.117	2.5167	19.2964
2026-08-23 10:00:00	16.9728	0.1335	9.2005	7.111	2.5167	19.2964
2026-08-23 09:00:00	13.4412	0.1458	9.5949	7.061	1.9304	17.6651
2026-08-23 08:00:00	13.4412	0.1458	27.5166	6.896	1.9304	17.6651
2026-08-23 07:00:00	13.6512	0.1281	21.6485	6.953	1.5304	15.282
2026-08-23 06:00:00	13.6512	0.1281	10.5505	7.008	1.5304	15.282
2026-08-23 05:00:00	13.0695	0.1188	38.6805	6.984	1.6352	16.4288
2026-08-23 04:00:00	13.0695	0.1188	35.3766	7.125	1.6352	16.4288
2026-08-23 03:00:00	13.987	0.1075	30.2289	7.165	1.6063	18.1157
2026-08-23 02:00:00	13.987	0.1075	19.0885	7.072	1.6063	18.1157
2026-08-23 01:00:00	13.8491	0.1186	10.8574	7.1	1.799	17.0043
2026-08-23 00:00:00	13.8491	0.1186	10.9098	7.149	1.799	17.0043
2026-08-22 23:00:00	14.0546	0.1288	16.6829	7.279	2.2369	18.3223
2026-08-22 22:00:00	14.0546	0.1288	28.6974	7.361	2.2369	18.3223
2026-08-22 21:00:00	16.461	0.1133	29.6124	7.326	2.7161	20.3338
2026-08-22 20:00:00	16.461	0.1133	18.1449	7.247	2.7161	20.3338
2026-08-22 19:00:00	17.1331	0.1404	11.3287	7.205	2.6741	22.3758
2026-08-22 18:00:00	17.1331	0.1404	24.1059	7.207	2.6741	22.3758
2026-08-22 17:00:00	17.2071	0.1308	28.929	7.135	2.4934	20.8041
2026-08-22 16:00:00	17.2071	0.1308	32.8231	7.032	2.4934	20.8041
2026-08-22 15:00:00	18.6756	0.1276	38.3873	7.019	2.5692	20.3862
2026-08-22 14:00:00	18.6756	0.1276	35.3996	7.148	2.5692	20.3862
2026-08-22 13:00:00	15.7682	0.1019	28.4169	7.231	1.8701	18.9927
2026-08-22 12:00:00	15.7682	0.1019	27.8483	7.15	1.8701	18.9927

监测时间	COD(mg/L)	氨氮(mg/L)	水流量(吨)	pH()	总磷(mg/L)	总氮(mg/L)
2026-08-22 11:00:00	14.4558	0.1038	31.4776	7.045	1.7195	18.6276
2026-08-22 10:00:00	14.4558	0.1038	38.8342	7.025	1.7195	18.6276
2026-08-22 09:00:00	14.909	0.1061	34.5574	7.086	1.7523	18.6688
2026-08-22 08:00:00	14.909	0.1061	30.1438	7.065	1.7523	18.6688
2026-08-22 07:00:00	15.4283	0.1175	33.9178	7.056	1.9465	18.8033
2026-08-22 06:00:00	15.4283	0.1175	13.256	7.183	1.9465	18.8033
2026-08-22 05:00:00	14.8131	0.1001	20.0989	7.099	2.1088	21.26
2026-08-22 04:00:00	14.8131	0.1001	18.6578	7.012	2.1088	21.26
2026-08-22 03:00:00	15.3631	0.118	10.5402	6.986	1.9403	23.8488
2026-08-22 02:00:00	15.3631	0.118	0.2567	7.111	1.9403	23.8488
2026-08-22 01:00:00	16.886	0.1111	9.105	7.085	1.9458	19.9305
2026-08-22 00:00:00	16.886	0.1111	29.3364	7.027	1.9458	19.9305
2026-08-21 23:00:00	17.0699	0.1004	38.4157	7.002	2.6413	19.7828
2026-08-21 22:00:00	17.0699	0.1004	30.9154	7.129	2.6413	19.7828
2026-08-21 21:00:00	18.7255	0.0863	30.0301	7.136	3.198	19.4897
2026-08-21 20:00:00	18.7255	0.0863	28.0344	7.125	3.198	19.4897
2026-08-21 19:00:00	17.8256	0.1047	30.5248	7.08	3.213	19.56
2026-08-21 18:00:00	17.8256	0.1047	31.3519	7.008	3.213	19.56
2026-08-21 17:00:00	15.8873	0.0925	38.928	6.961	3.3527	20.4931
2026-08-21 16:00:00	15.8873	0.0925	31.2602	6.996	3.3527	20.4931
2026-08-21 15:00:00	16.8788	0.0947	32.4904	6.994	3.2691	19.7582
2026-08-21 14:00:00	16.8788	0.0947	32.4856	6.992	3.2691	19.7582
2026-08-21 13:00:00	17.0212	0.1092	32.4082	6.982	3.0753	19.0812
2026-08-21 12:00:00	17.0212	0.1092	31.997	6.974	3.0753	19.0812
2026-08-21 11:00:00	15.5237	0.0919	32.498	6.961	2.5396	17.4321
2026-08-21 10:00:00	15.5237	0.0919	32.1915	6.957	2.5396	17.4321
2026-08-21 09:00:00	16.5288	0.1072	31.9296	6.95	2.6983	17.1428
2026-08-21 08:00:00	16.5288	0.1072	32.4787	6.972	2.6983	17.1428
2026-08-21 07:00:00	18.9612	0.0902	32.7545	7	3.901	19.0882
2026-08-21 06:00:00	18.9612	0.0902	29.6353	7.138	3.901	19.0882
2026-08-21 05:00:00	18.1268	0.1068	22.0709	7.195	4.1815	20.398

监测时间	COD(mg/L)	氨氮(mg/L)	水流量(吨)	pH()	总磷(mg/L)	总氮(mg/L)
2026-08-21 04:00:00	18.1268	0.1068	22.8037	7.161	4.1815	20.398
2026-08-21 03:00:00	17.1321	0.0978	22.6464	7.114	3.7796	20.6337
2026-08-21 02:00:00	17.1321	0.0978	11.3536	7.083	3.7796	20.6337
2026-08-21 01:00:00	18.5786	0.0802	8.6774	7.011	3.5666	19.8309
2026-08-21 00:00:00	18.5786	0.0802	19.3081	6.97	3.5666	19.8309
2026-08-20 23:00:00	15.3313	0.0917	30.7362	6.954	3.1903	18.8622
2026-08-20 22:00:00	15.3313	0.0917	21.0198	6.972	3.1903	18.8622
2026-08-20 21:00:00	14.504	0.106	33.8279	6.966	2.8451	20.6283
2026-08-20 20:00:00	14.504	0.106	24.0074	6.988	2.8451	20.6283
2026-08-20 19:00:00	15.1289	0.0968	22.3037	6.971	2.281	19.5554
2026-08-20 18:00:00	15.1289	0.0968	26.8414	6.954	2.281	19.5554
2026-08-20 17:00:00	14.8119	0.0825	33.4141	6.931	2.2002	19.4854
2026-08-20 16:00:00	14.8119	0.0825	32.0326	6.937	2.2002	19.4854
2026-08-20 15:00:00	14.4612	0.0931	27.7021	6.961	2.0381	19.7843
2026-08-20 14:00:00	14.4612	0.0931	28.4313	7.051	2.0381	19.7843
2026-08-20 13:00:00	13.4723	0.0797	23.2411	6.966	1.9577	20.1237
2026-08-20 12:00:00	13.4723	0.0797	33.3831	6.886	1.9577	20.1237
2026-08-20 11:00:00	16.4733	0.0957	32.3875	6.886	2.196	20.48
2026-08-20 10:00:00	16.4733	0.0957	33.7803	6.882	2.196	20.48
2026-08-20 09:00:00	14.3963	0.0877	35.5044	6.894	1.9183	18.0974
2026-08-20 08:00:00	14.3963	0.0877	28.6705	7.043	1.9183	18.0974
2026-08-20 07:00:00	14.3947	0.0746	21.1107	6.981	1.6649	16.0416
2026-08-20 06:00:00	14.3947	0.0746	30.0171	6.928	1.6649	16.0416
2026-08-20 05:00:00	14.1173	0.0951	30.0688	6.955	2.1222	16.1829
2026-08-20 04:00:00	14.1173	0.0951	29.1369	7.026	2.1222	16.1829
2026-08-20 03:00:00	20.0101	0.0936	21.1661	6.996	2.926	17.2161
2026-08-20 02:00:00	20.0101	0.0936	2.9437	7.1	2.926	17.2161
2026-08-20 01:00:00	17.1347	0.0715	8.8246	7.075	3.5323	17.5346
2026-08-20 00:00:00	17.1347	0.0715	19.9288	6.993	3.5323	17.5346
2026-08-19 23:00:00	20.7392	0.0854	25.9752	6.927	4.5992	19.0158
2026-08-19 22:00:00	20.7392	0.0854	31.1498	6.935	4.5992	19.0158

监测时间	COD(mg/L)	氨氮(mg/L)	水流量(吨)	pH()	总磷(mg/L)	总氮(mg/L)
2026-08-19 21:00:00	18.3141	0.1087	30.1566	6.964	4.4425	16.3531
2026-08-19 20:00:00	18.3141	0.1087	32.0168	6.995	4.4425	16.3531
2026-08-19 19:00:00	18.5697	0.0796	30.0223	7.008	3.6741	15.0728
2026-08-19 18:00:00	18.5697	0.0796	19.871	7.04	3.6741	15.0728
2026-08-19 17:00:00	17.449	0.092	17.5613	7.053	3.1669	14.4214
2026-08-19 16:00:00	17.449	0.092	18.3995	7.074	3.1669	14.4214
2026-08-19 15:00:00	16.7409	0.0692	19.2068	7.084	2.1447	14.0989
2026-08-19 14:00:00	16.7409	0.0692	24.1936	7.048	2.1447	14.0989
2026-08-19 13:00:00	15.9298	0.0759	35.878	7.034	2.0565	15.2671
2026-08-19 12:00:00	15.9298	0.0759	36.2612	7.074	2.0565	15.2671
2026-08-19 11:00:00	13.3979	0.0621	33.9404	7.203	1.5254	12.6838
2026-08-19 10:00:00	13.3979	0.0621	26.3598	7.272	1.5254	12.6838
2026-08-19 09:00:00	14.9413	0.0699	27.4307	7.226	1.6553	12.6454
2026-08-19 08:00:00	14.9413	0.0699	30.8834	7.225	1.6553	12.6454
2026-08-19 07:00:00	18.4501	0.0596	23.7304	7.294	2.1031	12.7037
2026-08-19 06:00:00	18.4501	0.0596	23.157	7.266	2.1031	12.7037
2026-08-19 05:00:00	16.6511	0.0685	24.2196	7.25	2.3984	13.319
2026-08-19 04:00:00	16.6511	0.0685	23.7661	7.246	2.3984	13.319
2026-08-19 03:00:00	14.1625	0.0807	24.1929	7.224	2.2271	13.6015
2026-08-19 02:00:00	14.1625	0.0807	24.0461	7.197	2.2271	13.6015
2026-08-19 01:00:00	16.7863	0.0692	24.9167	7.152	2.047	13.6967
2026-08-19 00:00:00	16.7863	0.0692	30.8951	7.174	2.047	13.6967
2026-08-18 23:00:00	18.3431	0.0533	24.3282	7.203	2.5684	14.5937
2026-08-18 22:00:00	18.3431	0.0533	29.4251	7.197	2.5684	14.5937
2026-08-18 21:00:00	18.221	0.0762	25.0546	7.396	3.4928	15.8632
2026-08-18 20:00:00	18.221	0.0762	24.1253	7.397	3.4928	15.8632
2026-08-18 19:00:00	26.7126	0.0702	24.5107	7.363	3.8069	17.3223
2026-08-18 18:00:00	26.7126	0.0702	25.0247	7.309	3.8069	17.3223
2026-08-18 17:00:00	22.5367	0.0839	24.0707	7.214	3.9792	17.6882
2026-08-18 16:00:00	22.5367	0.0839	30.8529	7.106	3.9792	17.6882
2026-08-18 15:00:00	20.6027	0.0588	34.4788	7.113	3.7325	17.1284

监测时间	COD(mg/L)	氨氮(mg/L)	水流量(吨)	pH()	总磷(mg/L)	总氮(mg/L)
2026-08-18 14:00:00	20.6027	0.0588	29.7938	7.148	3.7325	17.1284
2026-08-18 13:00:00	21.487	0.0686	33.4222	7.088	3.8108	18.5393
2026-08-18 12:00:00	21.487	0.0686	34.1301	7.093	3.8108	18.5393
2026-08-18 11:00:00	21.2184	0.0684	35.1287	7.139	4.3245	18.5041
2026-08-18 10:00:00	21.2184	0.0684	34.7163	7.021	4.3245	18.5041
2026-08-18 09:00:00	23.4691	0.0518	26.3177	6.806	3.964	17.8875
2026-08-18 08:00:00	23.4691	0.0518	21.1115	6.84	3.964	17.8875
2026-08-18 07:00:00	19.8935	0.0677	23.3089	6.897	3.1534	15.7727
2026-08-18 06:00:00	19.8935	0.0677	21.1839	6.948	3.1534	15.7727
2026-08-18 05:00:00	19.0411	0.0626	18.4952	6.987	3.0838	15.6538
2026-08-18 04:00:00	19.0411	0.0626	16.7647	7.015	3.0838	15.6538
2026-08-18 03:00:00	21.425	0.0587	18.4266	7.036	3.6705	17.5027
2026-08-18 02:00:00	21.425	0.0587	31.3206	7.052	3.6705	17.5027
2026-08-18 01:00:00	25.6014	0.0757	25.4666	7.064	4.4811	18.8087
2026-08-18 00:00:00	25.6014	0.0757	23.9747	7.074	4.4811	18.8087